

Chemical	Nitrile	Latex
ACETALDEHYDE	POOR	GOOD
ACETIC ACID	GOOD	EXCELLENT
ACETIC ANHYDRIDE	FAIR	GOOD
ACETONE	FAIR	GOOD
ACETONITRILE	FAIR	FAIR
AMMONIUM FLUORIDE, 30-70%	EXCELLENT	EXCELLENT
AMMONIUM HYDROXIDE, <30%	EXCELLENT	EXCELLENT
AMYL ALCOHOL	EXCELLENT	GOOD
ANILINE	FAIR	GOOD
AQUA REGIA	POOR	POOR
BENZALDEHYDE	POOR	POOR
BENZENE	FAIR	POOR
BORIC ACID	EXCELLENT	GOOD
BROMOPROPIONIC ACID	FAIR	GOOD
BUTYL CELLUSOLVE	GOOD	GOOD
CARBON DISULFIDE	GOOD	POOR
CARBON TETRACHLORIDE	POOR	POOR
CHLOROBENZENE	POOR	POOR
CHLOROFORM	POOR	POOR
CHROMIC ACID	FAIR	POOR
CISPLATIN	GOOD	GOOD
CYCLOHEXANE	EXCELLENT	POOR
CYCLOHEXANOL	EXCELLENT	GOOD
CYCLOHEXANONE	POOR	POOR
CYCLOHEXYLAMINE	POOR	POOR
DI-N-AMYLAMINE	EXCELLENT	POOR
DI-BUTYLAMINE	EXCELLENT	POOR
DI-N-BUTYL PHTHALATE	EXCELLENT	FAIR
DI-N-OCTYL PHTHALATE	EXCELLENT	FAIR
DIACETONE ALCOHOL	GOOD	FAIR
DICHLOROACETYL CHLORIDE	POOR	POOR
DIESEL FUEL	EXCELLENT	POOR
DIETHANOLAMINE	EXCELLENT	EXCELLENT
DIETHYLAMINE	GOOD	FAIR
DIETHYLENE GLYCOL	EXCELLENT	EXCELLENT
DIETHYLENTRIAMINE	POOR	POOR
DIISOBUTYL KETONE	GOOD	POOR
DIISOBUTYLAMINE	EXCELLENT	POOR
DIMETHYL ETHER	GOOD	POOR
DIMETHYL SULFOXIDE (DMSO)	GOOD	EXCELLENT
DIMETHYLACETAMIDE	FAIR	GOOD
DIMETHYLFORMAMIDE (DMF)	POOR	POOR
1,3-DIOXANE	POOR	FAIR
1,4-DIOXANE	POOR	POOR
ETHANOL	EXCELLENT	EXCELLENT
ETHYL ACETATE	POOR	FAIR
ETHYL ETHER	GOOD	POOR
ETHYLENE GLYCOL DIMETHYL ETHER	FAIR	FAIR
ETHYLENE DICHLORIDE	POOR	POOR
ETHYLENE GLYCOL	EXCELLENT	EXCELLENT
FORMALDEHYDE, 30-70%	EXCELLENT	GOOD
FORMIC ACID	GOOD	EXCELLENT
FREON 113 OR TF	EXCELLENT	POOR
FREON TMC	FAIR	FAIR
FURFURAL	POOR	POOR
GASOLINE, 40-50% AROMATICS	EXCELLENT	POOR
GLUTARALDEHYDE, <5%	GOOD	POOR
GLYCEROL	EXCELLENT	EXCELLENT
HEPTANES	EXCELLENT	POOR
HEXAMETHYLDISILOXANE	GOOD	POOR
HEXANE	EXCELLENT	POOR
HYDRAZINE	EXCELLENT	FAIR
HYDROCHLORIC ACID, <30%	GOOD	EXCELLENT

Chemical	Nitrile	Latex
HYDROCHLORIC ACID, 30-70%	GOOD	GOOD
HYDROFLUORIC ACID, <50%	EXCELLENT	EXCELLENT
IOSBUTYL ALCOHOL	EXCELLENT	POOR
ISOOCTANE	EXCELLENT	POOR
ISOPROPYL ALCOHOL	EXCELLENT	EXCELLENT
KEROSENE	EXCELLENT	POOR
LACTIC ACID	EXCELLENT	EXCELLENT
METHANOL	FAIR	FAIR
METHYL ACETATE	POOR	POOR
METHYL ETHYL KETONE	POOR	POOR
METHYL ISOBUTYL KETONE	POOR	POOR
METHYL METHACRYLATE	POOR	POOR
METHYLENE CHLORIDE	POOR	POOR
N-AMYL ACETATE	FAIR	POOR
N-BUTYL ACETATE	FAIR	POOR
N-METHYL-2-PYRROLIDONE	POOR	EXCELLENT
N-PROPYL ALCOHOL	EXCELLENT	EXCELLENT
NAPHTHA, <3% AROMATICS	EXCELLENT	POOR
NAPHTHA, 15-20% AROMATICS	EXCELLENT	EXCELLENT
NITRIC ACID, <30%	EXCELLENT	POOR
NITRIC ACID, 30-70%	POOR	POOR
NITROBENZENE	FAIR	FAIR
NITROETHANE	POOR	EXCELLENT
OCTANE	EXCELLENT	POOR
OCTYL ALCOHOL	EXCELLENT	EXCELLENT
OLEIC ACID	EXCELLENT	GOOD
PCB (POLYCHLORINATED BIPHENYLS)	GOOD	POOR
PENTACHLOROPHENOL	GOOD	POOR
PENTANE	EXCELLENT	POOR
PERCHLORIC ACID, 30-70%	EXCELLENT	FAIR
PERCHLORETHYLENE	GOOD	POOR
PEROXYACETIC ACID	POOR	POOR
PETROLEUM ETHERS, 80-100C	GOOD	POOR
PHENOL, >70%	GOOD	GOOD
PHOSPHORIC ACID, >70%	EXCELLENT	GOOD
PICRIC ACID	EXCELLENT	GOOD
POTASSIUM HYDROXIDE	EXCELLENT	GOOD
POTASSIUM IODIDE	EXCELLENT	EXCELLENT
PROPYL ACTETATE	FAIR	POOR
PYRIDINE	POOR	POOR
SILVER NITRATE	GOOD	EXCELLENT
SODIUM CARBONATE	EXCELLENT	EXCELLENT
SODIUM CHLORIDE	EXCELLENT	EXCELLENT
SODIUM FLUORIDE	EXCELLENT	EXCELLENT
SODIUM HYDROXIDE, 30-70%	EXCELLENT	EXCELLENT
SODIUM HYPOCHLORITE	EXCELLENT	EXCELLENT
SODIUM THIOSULFATE	EXCELLENT	EXCELLENT
SULFURIC ACID, <30%	NO INFO	EXCELLENT
SULFURIC ACID, 30-70%	FAIR	EXCELLENT
SULFURIC ACID, >70%	POOR	POOR
TANNIC ACID	GOOD	GOOD
1,2,4,5-TETRACHLOROBENZENE	EXCELLENT	NO INFO
1,1,1,2-TETRACHLOROETHANE	FAIR	POOR
TETRAHYDROFURAN	FAIR	POOR
TOLUENE	FAIR	POOR
TOLUENE-2,4-DIISOCYANATE (TDI)	POOR	POOR
1,2,4-TRICHLOROBENZENE	FAIR	POOR
1,1,1-TRICHLOROETHANE	POOR	POOR
1,1,2-TRICHLOROETHANE	POOR	POOR
TRICHLOROETHYLENE	POOR	POOR
TRICRESYL PHOSPHATE	GOOD	GOOD
TURPENTINE	EXCELLENT	POOR
XYLENES	FAIR	POOR